



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

)
: Examiner: Mark A. Chapman

)
: Art Unit: 1756

(

)

)

)

)

August 9, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
AUG 14 2006
of Correction

CERTIFICATE OF CORRECTION
UNDER RULE 322


Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

AUG 15 2006

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Peter Saxon", is written over a horizontal line.

Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
579816v1

AUG 15 2006

02910.000092



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Mark A. Chapman
SHINYA YACHI ET AL.)	
	:	Art Unit: 1756
Appln. No.: 10/676,463)	
	:	
Filed: October 2, 2003)	
	:	
For: SILICA FINE PARTICLE, TONER,)	
TWO-COMPONENT DEVELOPER	:	
AND IMAGE FORMING METHOD)	
	:	
U.S. Patent No.: 7,014,969 B2)	
	:	
Issued: March 21, 2006)	August 9, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned
patent:

ON COVERPAGE AT (57) ABSTRACT

Line 12, "has" should read --have--; and

Line 13, "diameters" should read --diameter--.

AUG 15 2006

COLUMN 7

Line 43, "preferably" should read --preferable--; and

Line 52, "mesuring" should read --measuring--.

COLUMN 8

Line 23, "sample" should read --sample with--.

COLUMN 11

Line 33, "decreases, should read --decrease,--; "lowers," should read
--lower,--; and

Line 51, "achieved" should read --achieved.--.

COLUMN 12

Line 13, "can" should read --can be--.

COLUMN 13

Line 6, "difficuly" should read --difficult to--; and

Line 8, "mays becomes" should read --may become--.

COLUMN 14

Line 27, "can" should read --can be--; and

Line 28, "can" should read --can be--.

COLUMN 15

Line 20, "(1)." should read --(1)--;

Line 52, "added is added" should read --added--; and

Line 60, "includes" should read --include--.

COLUMN 18

Line 16, "phosphotungusten" should read --phosphotungsten--.

COLUMN 19

Line 15, "producing" (both occurrences) should read --producing--.

COLUMN 20

Line 37, "an" should read --a--.

COLUMN 21

Line 25, "p-phenylsyty-" should read --p-phenylsty---.

COLUMN 34

Line 1, "an" should read --a--.

COLUMN 39

Line 47, "resulting" should read --resulting in--.

COLUMN 42

Line 44, "carried" should read --carried out--.

COLUMN 43

Line 28, "(2 litters) should read --(2 liters)--;

Line 34, "followings" should read --following--; and

Line 52, "nonitrl). should read --nonitrile).--.

COLUMN 47

Line 46, "accompany" should read --in coordination--.

COLUMN 48

Line 35, "nation" should read --ation--.

COLUMN 53

Table 6, "Chqnge" should read --Change--; and

Table 7, "Chqnge" should read --Change--.

COLUMN 55

Line 59, "comprising composite particle" should read --comprises
composite particles--.

These errors appear to be relatively insignificant and, therefore, have not been included in the Certificate of Correction which has been filed separately. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

579816v1

AUG 15 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (74) ATTORNEYS, AGENT OR FIRM

"Fitzpatrick, Cellar, Harper & Scinto" should read --Fitzpatrick, Cella, Harper & Scinto--.

COLUMN 27

Line 50, "N β (aminoethyl)" should read --N- β (aminoethyl)--.

COLUMN 28

Line 23, " μ minosilane" should read --Aminosilane--.

COLUMN 36

Line 59, "(CH₃)₂N-C₃H₆-Si-(OCH₃)₃(2)" should read
--(CH₃)₂N-C₃H₆-Si-(OCH₃)₃ (2)--.

COLUMN 39

Line 23, "500 Mm" should read --500 μ m--.

COLUMN 40

Line 48, "ORGANIC" should read --INORGANIC--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

579816v1

AUG 15 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 41

Line 1, "ORGANIC" should read --INORGANIC--;
Line 12, "ORGANIC" should read --INORGANIC--;
Line 24, "ORGANIC" should read --INORGANIC--;
Line 35, "ORGANIC" should read --INORGANIC--;
Line 46, "ORGANIC" should read --INORGANIC--; and
Line 57, "ORGANIC" should read --INORGANIC--.

COLUMN 42

Line 1, "ORGANIC" should read --INORGANIC--
Line 13, "ORGANIC" should read --INORGANIC--;
Line 24, "ORGANIC" should read --INORGANIC--; and
Line 38, "ORGANIC" should read --INORGANIC--.

COLUMN 43

Line 8, "ORGANIC" should read --INORGANIC--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

No. of add'l. copies
@ 30¢ per page

MAR 15 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 55

Line 13, "distribution-meter," should read --distribution meter,--; and

Line 55, "claim 1.," should read --claim 1,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

AUG 15 2006 No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (74) ATTORNEYS, AGENT OR FIRM

"Fitzpatrick, Cellar, Harper & Scinto" should read --Fitzpatrick, Cella, Harper & Scinto--.

COLUMN 27

Line 50, "N β (aminoethyl)" should read --N- β (aminoethyl)--.

COLUMN 28

Line 23, " μ minosilane" should read --Aminosilane--.

COLUMN 36

Line 59, "(CH₃)₂N-C₃H₆-Si-(OCH₃)₃(2)" should read
--(CH₃)₂N-C₃H₆-Si-(OCH₃)₃ (2)--.

COLUMN 39

Line 23, "500 Mm" should read --500 μ m--.

COLUMN 40

Line 48, "ORGANIC" should read --INORGANIC--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

No. of add'l. copies
@ 30¢ per page

AUG 15 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 41

Line 1, "ORGANIC" should read --INORGANIC--;
Line 12, "ORGANIC" should read --INORGANIC--;
Line 24, "ORGANIC" should read --INORGANIC--;
Line 35, "ORGANIC" should read --INORGANIC--;
Line 46, "ORGANIC" should read --INORGANIC--; and
Line 57, "ORGANIC" should read --INORGANIC--.

COLUMN 42

Line 1, "ORGANIC" should read --INORGANIC--
Line 13, "ORGANIC" should read --INORGANIC--;
Line 24, "ORGANIC" should read --INORGANIC--; and
Line 38, "ORGANIC" should read --INORGANIC--.

COLUMN 43


Line 8, "ORGANIC" should read --INORGANIC--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

No. of add'l. copies
@ 30¢ per page

AUG 15 2006 

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,014,969 B2

DATED : March 21, 2006

INVENTOR(S) : SHINYA YACHI ET AL.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 55

Line 13, "distribution-meter," should read --distribution meter,--; and
Line 55, "claim 1.," should read --claim 1,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,014,969 B2

No. of add'l. copies
@ 30¢ per page

AUG 15 2006

Form PTO 1050 (Rev. 3-82)

579816v1

